


PRODUCT DATA SHEET

MaxiCut® Ultra™ 44-3745

| | |
|----------------------------|--|
| Colour – Coating | Black |
| Colour – Liner | Blue |
| Design | Palm coated knitwrist |
| Coating | NBR (Nitrile Butadiene Rubber) |
| Coating texture | Micro-Foam for Controlled Grip |
| Liner | Polyester, Spandex, UHMWPE-Glass-Nylon |
| Palm thickness (mm) | 1.00 |



Dimensions

| Size Range | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|---------------------------------------|--------------|-------------|------------|------------|------------|--------------|---------------|----------------|
| Total glove length (+/- 10 mm) | 195 | 200 | 210 | 220 | 230 | 240 | 245 | 250 |
| Wrist length (mm) | 55 | 60 | 70 | 70 | 75 | 80 | 85 | |
| Wrist width (mm) | 62 | 65 | 72 | 74 | 76 | 78 | 80 | 82 |
| Palm width (mm) | 80 | 82 | 86 | 96 | 98 | 100 | 103 | 106 |
| Over lock colour | Purple | Blue | Red | Orange | White | Yellow | Black | Green |

EN Test Results

| Test | Notified body | Result/Pass |
|------------------------------|---------------|-------------|
| EN ISO 21420: 2020 | TÜV Rheinland | Yes |
| EN 388:2016 + A1:2018 | TÜV Rheinland | 4442C |



PRODUCT DATA SHEET

MaxiCut® Ultra™ 44-3745

Typical Performance Values

| | |
|--|---------------|
| EN ISO 21420: General requirements Dexterity | Level 5 |
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 + A1:2018 B. Cut Resistance | > 10.0 index |
| EN 388:2016 + A1:2018 C. Tear Resistance | > 75 newtons |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 60 newtons |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO | ≥ 10 Newton |

HandCare®

| | |
|---|------------|
| Skin Health Alliance Dermatologically Accredited | Yes |
| REACH compliant | Yes |
| Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI) | Certified |
| Washable | 40°C/104°F |
| Sanitized® | Yes |



Special features

| | |
|------------------------|----------------|
| Silicone free | Yes |
| FDA compliant | Yes |
| Food contact (EU) | Yes |
| Touchscreen compatible | Yes |
| Food contact | Yes (AZ569311) |



PRODUCT DATA SHEET

MaxiCut® Ultra™ 44-3745

Packaging

| | |
|------------------------|-----------------|
| Pairs per poly bag | 12 |
| Poly bags per carton | 6 |
| Carton count | 72 |
| Carton dimensions (mm) | 500 x 295 x 200 |

Weight

| Size Range | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|----------------------------------|--------------|-------------|------------|------------|------------|--------------|---------------|----------------|
| Glove weight / pair (+/- 6 gram) | 38 | 40 | 46 | 50 | 54 | 58 | 62 | 64 |
| Gross weight (kg) | 3.7 | 4 | 3.75 | 4.5 | 5 | 5.5 | 5.65 | 5.8 |
| Carton weight (kg) | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Net weight (kg) | 2.7 | 3.0 | 2.8 | 3.5 | 4.0 | 4.5 | 4.7 | 4.8 |

Issue date: 24/03/2023

